

## CLAIMS

What is claimed is:

1. A radio apparatus comprising:  
receiving means for receiving a radio signal;  
judging means for judging whether said apparatus is capable of  
determining its position information; and  
setting means for setting a response hold state when said apparatus is  
incapable of determining its position information.
2. The radio apparatus as claimed in claim 1, further comprising  
sending means for sending a message to a sender of said radio signal.
3. The radio apparatus as claimed in claim 2, further comprising  
checking means for checking whether said radio signal includes information  
indicating a search request for determining the position information of said radio  
apparatus.
4. The radio apparatus as claimed in claim 2, further comprising  
storing means for storing said message.
5. The radio apparatus as claimed in claim 2, wherein said setting  
means sets a response hold state and said sending means sends said message even  
if said radio apparatus is capable of determining its position information.

6. The radio apparatus as claimed in claim 1, further comprising:  
positioning means for determining its position information; and  
sending means for sending the result of said positioning means to a  
sender of said radio signal.

7. The radio apparatus as claimed in claim 2, wherein said  
message indicates that said radio apparatus is incapable of determining its  
position information.

8. The radio apparatus as claimed in claim 3, wherein said  
message indicates that said radio apparatus rejects said request to determine its  
position information.

9. The radio apparatus as claimed in claim 2, wherein said  
message is the latest positioning data of a plurality of radio apparatus positioning  
data.

10. The radio apparatus as claimed in claim 2, wherein said  
message is the position information of a base station located closest to said radio  
apparatus.

11. The radio apparatus as claimed in claim 1, wherein said radio

apparatus is a portable telephone.

12. The radio apparatus as claimed in claim 4, wherein said radio apparatus receives radio signals from a plurality of senders, and said storing means stores a message for each one of the plurality of senders.

13. The radio apparatus as claimed in claim 12, wherein at least one message stored in said storing means is different from another message stored in said storing means.

14. A radio apparatus comprising:  
a receiver that receives a radio signal;  
a positioning mechanism that judges whether said apparatus is capable of determining its position information; and  
a controller that sets a response hold state when said apparatus is incapable of determining its position information.

15. The radio apparatus as claimed in claim 14, further comprising a transmitter that sends a message to a sender of said radio signal.

16. The radio apparatus as claimed in claim 15, further comprising a receiver controller that checks whether said radio signal includes information indicating a search request for determining the position information of said radio

apparatus.

17. The radio apparatus as claimed in claim 15, further comprising a memory that stores said message.

18. The radio apparatus as claimed in claim 15, wherein said controller sets a response hold state and said transmitter sends said message even if said radio apparatus is capable of determining its position information.

19. The radio apparatus as claimed in claim 14, further comprising:  
a positioning mechanism that determines the position information; and  
a transmitter that sends the result of said positioning mechanism to a sender of said radio signal.

20. The radio apparatus as claimed in claim 15, wherein said message indicates that said apparatus is incapable of determining its position information.

21. The radio apparatus as claimed in claim 16, wherein said message indicates that said apparatus rejects said request to determine its position information.

22. The radio apparatus as claimed in claim 15, wherein said

message is the latest positioning data of a plurality of radio apparatus positioning data.

23. The radio apparatus as claimed in claim 15, wherein said message is the position information of a base station located closest to said radio apparatus.

24. The radio apparatus as claimed in claim 14, wherein said radio apparatus is a portable telephone.

25. The radio apparatus as claimed in claim 17, wherein said radio apparatus receives radio signals from a plurality of senders, and said storing means stores a message for each one of the plurality of senders.

26. The radio apparatus as claimed in claim 25, wherein at least one message stored in said storing means is different from another message stored in said storing means.

27. A position search system including a first radio apparatus and a second apparatus, wherein said first radio apparatus comprises:

receiving means for receiving a radio signal from said second radio apparatus;

judging means for judging whether said first radio apparatus is capable

of determining its position information; and

setting means for setting a response hold state when said first radio apparatus is incapable of determining its position information.

28. The position search system as claimed in claim 27, wherein said first radio apparatus further comprises sending means for sending a message to said second radio apparatus.

29. The position search system as claimed in claim 28, wherein said first radio apparatus further comprises checking means for checking whether said radio signal includes information indicating a search request for determining the position information of said first radio apparatus.

30. The position search system as claimed in claim 28, wherein said first radio apparatus further comprises storing means for storing said message previously determined on the basis of said second radio apparatus.

31. The position search system as claimed in claim 28, wherein said first radio apparatus sets a response hold state and sends said message to said second radio apparatus even if said first radio apparatus is capable of determining its position information.

32. The position search system as claimed in claim 27, wherein said

first radio apparatus further comprising:

positioning means for determining its position information; and

sending means for sending the result of said positioning means to said second radio apparatus.

33. The position search system as claimed in claim 28, wherein said message indicates that said first radio apparatus is incapable of determining its position information.

34. The position search system as claimed in claim 29, wherein said message indicates that said first radio apparatus rejects said request to determine its position information.

35. The position search system as claimed in claim 28, wherein said message is the latest positioning data of a plurality of radio apparatus positioning data.

36. The position search system as claimed in claim 28, wherein said message is the position information of a base station located closest to said first radio apparatus.

37. The position search system as claimed in claim 27, at least one of said first radio apparatus and said second radio apparatus are portable

telephones.

38. The radio apparatus as claimed in claim 30, wherein said radio apparatus receives radio signals from a plurality of senders, and said storing means stores a message for each one of the plurality of senders.

39. The radio apparatus as claimed in claim 38, wherein at least one message stored in said storing means is different from another message stored in said storing means.

40. A position search method for searching a position of a radio apparatus, said method comprises:

receiving a radio signal;

judging whether said radio apparatus is capable of determining its position information; and

moving to a response hold state when said radio apparatus is incapable of determining its position information.

41. The position search method as claimed in claim 40, wherein said method further comprises sending a message to a sender of said radio signal.

42. The position search method as claimed in claim 41, wherein said method further comprises checking whether said radio signal includes



information indicating a search request for determining the position information of said radio apparatus.

43. The position search method as claimed in claim 41, wherein said method further comprises storing said message.

44. The position search method as claimed in claim 40, wherein said method further comprises:

moving to a response hold state when said radio apparatus is capable of determining its position information; and

sending a message to a sender of said radio signal.

45. The position search method as claimed in claim 40, wherein said method further comprises:

determining its position information of said radio apparatus; and

sending the positioning result to a sender of said radio signal.

46. The position search method as claimed in claim 40, wherein said radio apparatus is a portable telephone.

47. The radio apparatus as claimed in claim 43, wherein said radio apparatus receives radio signals from a plurality of senders, and said storing means stores a message for each one of the plurality of senders.

48. The radio apparatus as claimed in claim 47, wherein at least one message stored in said storing means is different from another message stored in said storing means.

2010-02-22 10:00:00